CONTENTS

Vol. 153, No. 1, September 1987

A simple spectrophotometric method for the determination of thrombin activity. *K.A. Hussein and J.M. Al-Hassan* 1

A spectrophotometric method for the standardization of thromboplastin clot-promoting activity. *K.A. Hussein and J.M. Al-Hassan* 5

A study of intracytoplasmic inclusions in myeloma cells from two patients with multiple myeloma. *K. Tsuchikaya, H. Yokomichi, I. Satoh, C. Suzuki, Y. Watanabe and G. Tajima* 11

Localization of nRNP antigen in mammalian cells stained with peroxidase-labelled IgG fraction of anti-nRNP antibody obtained from a patient with mixed connective tissue disease (MCTD). *K. Saito, K. Sagawa, T. Nishimaki, T. Morito, H. Yoshida and R. Kasukawa* 21

Transitory type of sphingomyelinase deficient Niemann-Pick disease: Clinical and morphological studies and follow-up of two sisters. *G. Takada, W. Satoh, K. Komatsu, Y. Konn, Y. Miura and Y. Uesaka* 27

Localized form of Waldenström's macroglobulinemia: Long-term follow-up study. *S. Nomura and T. Kanoh* 37

Endocrine cells of gastric aberrant pancreas by PAP staining method. *S. Asaki, S. Ohara, Y. Watanabe and M. Ohara* 43

Multicentric giant lymph node hyperplasia, plasma cell type, with monoclonal gammopathy. *K. Yago, T. Kanoh and H. Uchino* 49

A great improvement of fusion efficiency in mouse B cell hybridoma production by use of the new culture medium, GIT. *T. Kudo, R. Morishita, R. Suzuki (Seno) and T. Tachibana* 55

Daily variation of blood pressure in patients with Cushing's syndrome. *Y. Imai, K. Abe, S. Sasaki, N. Minami, M. Nihei, M. Munakata, H. Sekino and K. Yoshinaga* 67

Non-invasive transgastric detection of ultrasonic Doppler signals from canine renal vessels. *T. Inaba, H. Watanabe, H. Ohe, H. Miyashita, H. Hayami and M. Watanabe* 75

Pontine urine storage center in the dog. *O. Nishizawa, K. Sugaya, H. Noto, T. Harada and S. Tsuchida* 77

Vol. 153, No. 2, October 1987

Alteration of tryptophan metabolism in the synovial fluid of patients with rheumatoid arthritis and osteoarthritis. *T. Igari, M. Tsuchizawa and T. Shimamura* 79

Fanconi's anemia as a Nature's evolutionary experiment on carcinogenesis. *S. Okuyama and H. Mishina* 87

Differential polycythemia: A comparative study between spurious polycythemia and pure erythrocytosis. *Y. Fukushima, M. Fukuda, T. Takahashi, K. Yoshida and A.B. Miura* 103

Correlation between *Branhamella catarrhalis* adherence to oropharyngeal cells

and seasonal incidence of lower respiratory tract infections. *N. Mbaki, N. Rikitomi, T. Nagatake and K. Matsumoto* 111
The significance of activation of reticuloendothelial function on hepatectomy. *K. Nakagawa, K. Ouchi, S. Matsubara, L. Hashimoto and Y. Yajima* 123
Activation of reticuloendothelial function for prevention of endotoxemia after hepatectomy in cirrhotic patients. *K. Nakagawa, K. Ouchi, S. Matsubara, L. Hashimoto and Y. Yajima* 133
Cigarette smoke modifies bleomycin-induced lung injury to produce lung emphysema. *K. Takada, K. Takahashi, S. Sato and S. Yasui* 137
The effect of glycemic control on plasma soluble fibrin monomer complexes and fibronectin in diabetic patients. *H. Tada, S. Takeuchi, M. Takagi and S. Isogai* 145
Antitumor activity of cyclophosphamide and lipopolysaccharide in tumor-bearing mice pretreated with BCG. *H. Sato, M. Ito, T. Abe, N. Kumano, M. Motomiya and K. Konno* 151
Antibodies to brain proteins in a patient with subacute cerebellar degeneration and Lambert-Eaton myasthenic syndrome. *K. Tanaka, M. Tanaka, T. Miyatake, A. Yamamoto, K. Kurahashi and M. Matsunaga* 161
Two affinity immunoelectrophoretic methods for studying collagen interaction with von Willebrand factor antigen. *M. Aihara, I. Kudo, H. Ishigaki, K. Ueno, Y. Sawada, Y. Yoshida, H.A. Cooper and R.H. Wagner* 169

Vol. 153, No. 3, November 1987

Analysis of fibrinogen degradation product in severe liver disorders by immunoblotting. *M. Tanaka and T. Ohkita* 179
Increase of protein synthesis by uridine supplement in lectin-stimulated peripheral blood lymphocytes and EB virus-transformed B cell line of hereditary orotic aciduria type I. *M. Yazaki, K. Okajima, M. Suchi, H. Morishita and Y. Wada* 189
Guanidino compounds in hyperargininemia. *N. Mizutani, C. Hayakawa, Y. Ohya, K. Watanabe, Y. Watanabe and A. Mori* 197
Phagocytic myeloma cells in asymptomatic multiple myeloma. *T. Kanoh and K. Saigo* 207
Inhibitory effect of FO-1561 (*S*-adenosyl-L-methionine sulfate tosylate) on phospholipase A_2. *Y. Ishikawa, T. Kanzaki, N. Morisaki, Y. Saito and S. Yoshida* 211
Left ventricular responses to dopamine in dilated cardiomyopathy as assessed by two-dimensional echocardiography and compared with findings of thallium-201 scintigraphy. *H. Oda* 217
Fluorescence microscopic study on absorption of adriamycin through the rat bladder epithelium. *S. Nakagawa, M. Kojima, M. Nakao and H. Watanabe* 227
13 Trisomy born to a mother treated with bromocriptine: Incidental or not? *T. Imai, K. Yasuda, T. Ohta and K. Miura* 233
Transferrin receptors in human cancerous tissues. *Y. Niitsu, Y. Kohgo, T. Nishisato, H. Kondo, J. Kato, Y. Urushizaki and I. Urushizaki* 239

Morphology of mouse embryo cultured in a newly established culture system using collagen gel layer. *S. Uehara and A. Yajima* 245
Histologic studies on the nephrotic syndrome in the elderly. *H. Sato, T. Saito, T. Furuyama and K. Yoshinaga* 259
Histogenesis and characterization of minimal bronchogenic carcinoma observed in heavy smokers. *N. Nagamoto, Y. Saito, T. Imai, H. Suda, S. Takahashi, K. Usuda, K. Kanma, M. Sagawa, S. Ohta, M. Sato, T. Nakada, H. Sato and K. Hashimoto* 265

Vol. 153, No. 4, December 1987

Physiological and non-physiological forms of iron affect differently proliferation and ferritin synthesis in human mononuclear cells in vitro. *P.G. Taylor, A. Soyano, E. Romano and M. Layrisse* 285
Evaluation of fibrinolytic therapy by measuring cross-linked fibrin derivatives and plasmin-α_2-plasmin inhibitor complex in plasma. *H. Takahashi, S. Takizawa, M. Hanano, W. Tatewaki, Y. Nagasaki, Y. Sasagawa and A. Shibata* 295
Age-related brain atrophy enhanced by smoking: A quantitative study with computed tomography. *K. Kubota, T. Matsuzawa, T. Fujiwara, T. Yamaguchi, K. Ito, H. Watanabe and S. Ono* 303
Lower respiratory tract infections due to non-diphtheria corynebacteria in 8 patients with underlying lung diseases. *N. Rikitomi, T. Nagatake, K. Matsumoto, K. Watanabe and N. Mbaki* 313
Sclerosis of the renal artery and hyalinization of the renal glomeruli in diabetics. *T. Sato and K. Yoshinaga* 327
Carnitine deficiency in lysinuric protein intolerance: Lysine-sparing effect of carnitine. *G. Takada, A. Goto, K. Komatsu and R. Goto* 331
Serotonergic efferent nerve fibers in the retinal plexiform layer of the abalone. *S. Kataoka, T.Y. Yamamoto and R. Yui* 335
Cervical cathecolamine-secreting paraganglioma in the pterygopalatine fossa. *K. Otokida, A. Ohira, A. Kamimura, M. Fujimori, M. Kato, A. Takahashi, I. Saiki, H. Kanaya, A. Tashiro and T. Abe* 347
Endocrinological abnormalities in myotonic dystrophy: Consecutive studies of eight tolerance tests in 26 patients. *S. Takase, N. Okita, H. Sakuma, H. Mochizuki, Y. Ohara, Y. Mizuno, T. Sato and K. Hanew* 355
Monolayer-forming islet cell culture from neonatal pig pancreas: Using sequential treatment with EDTA-dispase and monoiodoacetic acid for preparation and purification. *H. Ohgawara, T. Iwanaga, R. Yui, S. Nishijima and Y. Hirata* 375
Glutamate-pyruvate transaminase (GPT) variant found in a disputed paternity case. *R. Kumagai, K. Tokiwa, N. Nakayashiki and S. Katsura* 383
Prenatal diagnosis of partial trisomy 22 derived from a Maternal t(11; 22) (q23; q11). *S. Sou, T. Takabayashi, H. Sasaki, K. Sasamoto, Y. Shintaku, Z.-J. Li, N. Ozawa and A. Yajima* 389

Short Reports

A continuous sampling model of the seminal vesicle fluid in rat. *T. Terasaki, M. Kojima, T. Kitamori, K. Yuri, Y. Azuma, H. Kaneko and H. Watanabe* 395

Effect of electrical stimulation of genioglossus muscle on upper airway resistance in anesthetized dogs. *H. Miki, W. Hida, C. Shindoh, O. Taguchi, H. Inoue and T. Takishima* 397